USDA-ARS/ U.S. Wheat and Barley Scab Initiative FY06 Final Performance Report (May 06 – May 08) July 15, 2008

Cover Page

| PI: | Muthusamy Manoharan |
|-------------------------------|--|
| Institution: | University of Arkansas - Pine Bluff |
| Address: | Deparment of Agriculture |
| | 1200 N. Univ. Dr. |
| | Pine Bluff, AR 71601 |
| E-mail: | manoharanm@uapb.edu |
| Phone: | 870-575-8543 |
| Fax: | 870-575-4629 |
| Fiscal Year: | 2006 |
| USDA-ARS Agreement ID: | 59-0790-5-080 |
| USDA-ARS Agreement | Detoxification of the Mycotoxin, Deoxynivalenol, by Expressing |
| Title: | UDP-Glucosyltransferase in Barley. |
| FY06 ARS Award Amount: | \$ 34,890 |

USWBSI Individual Project(s)

| USWBSI Research Area* | Project Title | ARS Award Amount |
|-----------------------------|---|---------------------|
| GET | Detoxification of the Mycotoxin, Deoxynivalenol, by Expressing UDP-Glucosyltransferase in Barley. | \$ 37,890 |
| | Total Award Amount | \$ 34,890 |

| Principal Investigator | Date |
|------------------------|------|

^{*} CBCC – Chemical, Biological & Cultural Control

EEDF - Etiology, Epidemiology & Disease Forecasting

FSTU – Food Safety, Toxicology, & Utilization of Mycotoxin-contaminated Grain

GET – Genetic Engineering & Transformation

HGR – Host Genetics Resources

HGG - Host Genetics & Genomics

PGG – Pathogen Genetics & Genomics

VDUN – Variety Development & Uniform Nurseries

FY06 (May 06 – May 08) PI: Manoharan, Muthusamy

USDA-ARS Agreement #: 59-0790-5-080

Project 1: Detoxification of the Mycotoxin, Deoxynivalenol, by Expressing UDP-Glucosyltransferase in Barley.

1. What major problem or issue is being resolved and how are you resolving it?

Fusarium head blight (FHB) in barley is a major disease of devastating economic impact. The fungus produces the mycotoxin, deoxynivalenol (DON) in infected grains which poses safety concerns for human and livestock. Currently, there are no reports of barley genotypes that are resistant to FHB. Resistant sources to FHB in barley are limited with only a few sources providing partial resistance. Our goal is to produce transgenic barley expressing an anti-toxin gene, DOGT1 encoding UDP-glucosyltransferase. DOGT1 may detoxify DON and limit FHB infection.

2. List the most important accomplishment and its impact (how is it being used?). Complete all three sections (repeat sections for each major accomplishment):

Accomplishment:

A six-rowed barley cultivar, Lacey, was successfully transformed with DOGT1 gene from *Arabidopsis*. Three to four weeks old nodal calli, isolated from immature embryos cultured on Murashige and Skoog medium (MS) containing 2 mg/L 2,4-dichlorophenoxyacetic acid, were co-bombarded with vectors pBP1319 and pAHC25. pBP1319 contain deoxynivalenol-glucosyltransferase (DOGT1) driven by 2X35S promoter, and terminated by nopaline synthase (*nos*). pAHC25 contain the selectable marker gene, *bar* (bilaphos-resistant gene). After 3-4 weeks of culture in the callus induction medium (CIM) containing bialaphos (3 mg/L), the resistant calli were transferred to the regeneration medium (RM) containing 0.2 mg/L benzylaminopurine (BA), and 3 mg/L bialaphos. Putative transgenic plants, which were regenerated after 4-5 weeks of culture on RM, transferred to MS medium with 3 mg/L bialaphos for rooting. Rooted plants were transferred to peat pellets first and subsequently to the growth chamber. Molecular analyses indicated the presence of DOGT1 and *bar* genes in T₀ plants. Three independent transgenic lines were identified. Progeny analyses indicated Mendelian pattern of inheritance of the transgene. Efforts are on to produce homozygous lines for DON analyses.

Impact:

Successful development of transformation protocol for the six-rowed barley has paved the way for the expression of DOGT1 for reducing DON and improving resistance to FHB.

As a result of that accomplishment, what does your particular clientele, the scientific community, and agriculture as a whole have now that they didn't have before?

The scientific community now has access to the protocol for the transformation of six-rowed barley for the first time. In addition, the scientific community now has transgenic lines containing DOGT1 that may detoxify DON.

FY06 (May 06 – May 08) PI: Manoharan, Muthusamy

USDA-ARS Agreement #: 59-0790-5-080

Include below a list of the publications, presentations, peer-reviewed articles, and non-peer reviewed articles written about your work that resulted from all of the projects included in the grant. Please reference each item using an accepted journal format. If you need more space, continue the list on the next page.

No publication at this time